

25# Basic 3 In Chlorine Tab

Brand: Bioguard

Product Code: 22512BIO

Availability: In Stock

Weight: 0.00oz

Dimensions: 0.00ft x 0.00ft x 0.00ft



Price: \$159.99

Description

25 lbs - Basic 3" Chlorine Tabs

Use Coupon code: save5%

to save 5% on 25 lb chlorine tabs Now thru May 18th

Features

- 99% Trichloro-s-triazinetriene
- 90% available chlorine
- pH~3.5
- Compatible with chlorine systems
- Do not use in SoftSwim[®] or other biguanide sanitized systems
- Totally soluble
- Contains 55% stabilizer (by weight)
- Unique compression method produces a slower dissolving tablet
- Slow dissolving
- Long lasting

Benefits

- Stabilized chlorine is not lost to the UV rays of the sun.
- Does not cloud pool water.
- Slow dissolving for steady release of chlorinating product.
- Can be used in skimmers, automatic feeders and some floaters for constant chlorination.
- Sizes and containers are available for all types of pool applications, from floaters to automatic feeders.

Directions for Use

Directions for Use

1. Ensure all pool equipment is working properly. Clean or backwash filter following manufacturer's directions.
2. Balance the water according to ALEX[®] Pro recommendations.
3. Superchlorinate the pool so that a chlorine residual of between 1-4 ppm is obtained. When using other products as outlined in directions for this product, always follow directions on those products.

Automatic Chlorinators and Floater Application

1. This product can be used in feeding mechanisms such as automatic chlorinators and floaters as a maintenance treatment.
2. Fill unit with this product and adjust the feeding mechanism to ensure a constant treatment level of 1-4 ppm available chlorine in the pool water.
 - Normally 1-2 ounces of this product per 10,000 gallons will be needed daily.
3. Use a test kit or test strips to monitor chlorine levels and adjust the chlorine feed mechanism as needed.
 - Check and refill chlorinator as needed.
 - Do not let this product come in direct contact with vinyl liners or other bleachable surfaces as damage may occur.

Skimmer Application

1. This product may be used in plastic skimmers only if skimmer and the piping between skimmer and pump are plastic.
2. Do not add other chemicals through the skimmer when using this product in

skimmer as an explosion or fire may result.

3. Do not turn pump off for more than 8 hours in vinyl pools when this product is in skimmer.
4. Initially add one tablet per 10,000 gallons of water.
5. Add additional product as determined by a test kit or test strips to maintain chlorine residual of 1-4 ppm.

**Re-entry into treated swimming pools is prohibited above levels of 4 ppm chlorine due to risk of body injury*